22004-8-22

ALAN 470 SUNDECK

SPECIFICATIONS & EQUIPMENT

- SPECIFICATIONS
- LOA: 14.5M / 47'02"
- BEAM: 4.88M / 16'00"
- DRAFT: 1.27M / 4'00"
- DISPLACEMENT: 22.5 T (APPRO.)
- FUEL TANK: 620 L. / 157 GAL.
- WATER TANK: 1270L. / 320 GAL.

CONSTRUCTION

- Hand laid-up molded fiberglass hull, deck, deckhouse, fly-bridge and radar arch
- Taiwan gel-coat

PROPULSION

- Twin STAYE 200hp marine diesel engines WD615.61C with 1.94:1 marine gears 120C
- Engine instrument panel features tachometer, alarm system, volt meter, oil pressure and temperature gauges
- $3 \frac{1}{4}$ propeller shafts
- 2 1/4" rudder stocks
- S/S V-strut with bearings
- 28" Bronze propellers
- Fuel filter
- Sound proofing in engine room
- S/S fuel tank / 2mm / 670lt.
- Structural steel engine beds
- Raw water strainers (2)
- Engine room blowers (4)

MECHANICAL

- Kohler generator 9.5KW / 220 V/ 50hz
- Air condition / 16K (2)
- Steering system
- Water heater 20 gal. / 220V w/ heat exchanger
- PAR pressure water system
- Shower sump automatic pump 12V, 2 in 1, Rule 98# (1)
- Electrical bilge pumps (3)
- Stainless steel water tank 1270 Lt. 2mm
- S/S holding tanks (2)
- Sea-cocks or S/S ball-valves on all thru-hull fittings

ELECTRICAL SYSTEM

- 12 volt DC electrical control panel featuring circuit breaker protected electrical system, battery monitoring volt meter and ammeter
- 220 volt AC system and outlets protected by circuit system breakers and features volt and

ammeter, color code wiring systems.

- 12 volt heavy duty batteries w/fiberglass box (3)
- Automatic battery charger 30 Amp
- 24 volt heavy duty batteries w/fiberglass box for engine start 100 Ah (4)
- 220 volt electrical outlets throughout
- Copper bonging to zinc
- 220 volt 30 Amp shore power connector
- Electrical air horn (1)
- GPS / Navman-Tracker-500
- Compass / Rule-Aqua meter
- VHF / Navman-7100

EXTERIOR EQUIPMENT

- S/S Bruce Anchor 20KG
- S/S anchor roller
- Windlass and 8mm 50 meter chains (option)
- S/S Safety rails throughout deck
- S/S Rail gates, port .Stab
- S/S flagpole holder, bow & transom
- Windshield wiper
- S/S safety rails, fly-bridge
- S/S safety rails, aft deck
- S/S safety rails
- S/S cross bitts (4) with S/S chock (4)
- Aluminum hatch on fwd deck
- Fuel and water tank vents
- Engine room FRP vents (4)
- S/S portholes with screens (3)

FLYBRIDGE

- FRP radar arch
- Running lights and anchor light
- Larger seating area cushioned
- S/S framed windshield
- S/S grab rails
- Storage lockers
- S/S ladder with FRP steps

SALON / GALLEY

- Teak floor throughout, maple veneer cabinets and drawers in high gloss finish
- Aluminum side windows
- Single lever hot and cold faucet w/sink
- Micro-wave (option)
- Elec. Single stove
- Storage for dishes and glasses
- 220 volt electrical outlet
- 12 volt lighting
- Corian countertop
- Storage drawer, cabinets
- 220 volt Refrigerator
- Built in L-sharp settee
- Yacht table
- Helm station with instrument & switches
- Electrical control panel

- Helm seat
- Entertainment center w/ TV & DVD

MASTER STATEROOM

- Teak cabin throughout
- Queen size walk around bed with mattress
- Private head with shower and marine toilet
- Portholes with screen (2)
- 220 volt outlets (3)
- 12volt reading light
- Vanity, mirror and storage
- Hanging lockers (2)
- Office area and chart table
- Book shelf
- TV cabinet
- Sofa with cushion

FWD STATEROOM

- Teak cabin sole
- V-berth w/mattress
- Head with marineToilet
- Aluminum Hatch on top
- 220volt outlet
- 12volt reading lights (2)
- Hanging lockers

HEADS

- Marine toilet with holding tank
- Exhaust blower (1)
- Mirror with lights
- 12volt light fixtures
- FRP wall covering
- High-class glass sink w/single lever hot and cold faucet

